Revision Date: 09/10/2021

1. Identification

1.1. Product identifier

Product Identity Citrus-Shield Neutral
Alternate Names Citrus-Shield Neutral

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Howard Products, Inc.

560 Linne Road

Paso Robles, CA 93446

Emergency

CHEMTREC (USA) (800) 424-9300

24 hour Emergency Telephone No. EMERGENCY PHONE:1-805-227-1000

Customer Service: Howard Products, Inc. FAX PHONE: 1-805-227-1007

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Flam. Liq. 4;H227 Combustible Liquid.

Skin Irrit. 3;H316 Causes mild skin irritation. (Note: this GHS classification was not adopted by US

OSHA).

Skin Sens. 1;H317 May cause an allergic skin reaction.

Aquatic Chronic 2;H411 Toxic to aquatic life with long lasting effects.

2.2. Label elements



Warning

H227 Combustible liquid.

H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

[Prevention]

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P235 Keep cool.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

Revision Date: 09/10/2021

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, face protection.

[Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see information on this label).

P332+313 IF SKIN IRRITATION OCCURS: Get medical advice or attention.

P333 If skin irritation or a rash occurs:

P362 Take off contaminated clothing and wash before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

P391 Collect spillage.

[Storage]

P403+235 Store in a well ventilated place. Keep cool.

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates (petroleum), hydrotreated light CAS Number: 0064742-47-8	50 - 75	Asp. Tox. 1;H304	
Paraffin Wax CAS Number: 0008002-74-2	10 - 25	Not Classified	
Orange oil CAS Number: 0008008-57-9	5 - 10	Not Classified	
Carnauba wax CAS Number: 0008015-86-9	5 - 10	Not Classified	
Paraffin waxes and Hydrocarbon waxes, oxidized CAS Number: 0068153-22-0	1 - 5	Not Classified	
Beeswax CAS Number: 0008012-89-3	1 - 5	Not Classified	
Citral CAS Number: 0005392-40-5	0.10 - 1.0	Skin Irrit. 2;H315 Skin Sens. 1;H317	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

^{*}PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Revision Date: 09/10/2021

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes

with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get

medical attention if any discomfort continues.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If victim is conscious and alert, give 2-4 cupfuls of milk or water. DO NOT INDUCE

VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Overview Inhalation hazard, only if dust if created. Treat syn

Inhalation hazard, only if dust if created. Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatique, muscular weakness, drowsiness

and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements)

for further details.

Skin May cause an allergic skin reaction. Causes mild skin irritation. (Note: this GHS

classification was not adopted by US OSHA).

Section 5. Fire-fighting measures

5.1. Extinguishing media

Use media appropriate for surrounding area.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep cool.

Avoid breathing dust, fume, gas, mist, vapors, spray.

5.3. Advice for fire-fighters

Not Applicable

ERG Guide No. ----

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Revision Date: 09/10/2021

6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Wipe up with cloth or sponge.

Section 7. Handling and storage

7.1. Precautions for safe handling

Store in a cool dry place.

Store in accordance with the National Fire Protection Association's publication NFPA 30, Flammable and Combustible Liquids Code. 29 CFR 1910.106 applies to the handling, storage, and use of flammable and combustible liquids.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry area, away from heat, sparks and open flame.

Keep containers sealed when not in use.

Store out of direct sunlight.

Incompatible materials: Strong oxidizing agents and acids.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]

7.3. Specific end use(s)

No data available.

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0005392-40-5	Citral	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0008002-74-2	Paraffin Wax	OSHA	No Established Limit
		ACGIH	TWA: 2 mg/m3
		NIOSH	TWA 2 mg/m3
0008008-57-9	Orange oil	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0008012-89-3	Beeswax	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0008015-86-9	Carnauba wax	OSHA	No Established Limit
		ACGIH	No Established Limit

Revision Date: 09/10/2021

		NIOSH	No Established Limit
0064742-47-8	Distillates (petroleum), hydrotreated light	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0068153-22-0	Paraffin waxes and Hydrocarbon waxes,	OSHA	No Established Limit
	oxidized	ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

8.2. Exposure controls

Respiratory Dust mask

Eyes Safety glasses with side shields

Skin Not Applicable

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Color: Yellow to Dark Brown Physical State: Waxy

solid

Odor Citrus

Odor threshold Not Available pH Not Established

Melting point / freezing point180 FInitial boiling point and boiling range340-399 FFlash Point148.1 F

Evaporation rate (Ether = 1) Not Established
Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Established
Upper Explosive Limit: Not Established

Vapor pressure (Pa)Not EstablishedVapor DensityNot Established

Relative Density 0.886

Solubility in Water Not Measured

Partition coefficient n-octanol/water (Log Kow) Not Measured

Auto-ignition temperature Not Established

Decomposition temperatureNot EstablishedViscosity (cSt)Not EstablishedVOC ContentNot Established

9.2. Other information

No other relevant information.

Section 10. Stability and reactivity

Revision Date: 09/10/2021

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm	
Distillates (petroleum), hydrotreated light - (64742-47-8)	> 5,000.00, Rat - Category: NA	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available	
Paraffin Wax - (8002-74-2)	> 5,000.00, Rat - Category: NA	>2,000.00, Rat - Category: 5	No data available	No data available	No data available	

Orange oil - (8008-57-9)	5,000.00, Rat - Category: 5	No data available	13.00, Rat - Category: 4	No data available	No data available
Carnauba wax - (8015-86-9)	No data available	No data available	No data available	No data available	No data available
Paraffin waxes and Hydrocarbon waxes, oxidized - (68153-22-0)	No data available	No data available	No data available	No data available	No data available
Beeswax - (8012-89-3)	No data available	No data available	No data available	No data available	No data available
Citral - (5392-40-5)	4,895.00, Rat - Category: 5	2,250.00, Rabbit - Category: 5	No data available	No data available	No data available

Carcinogen Data

CAS No.	Ingredient	Source		Value		
0005392-40-5	Citral	OSHA	Regulated Carcinogen: No;			
		NTP	Known: No;	Suspected: No;		
		IARC	Group 1: No:	Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	A4			
0008002-74-2	Paraffin Wax	OSHA	Regulated Carcinogen: No;			
		NTP	Known: No;	Suspected: No;		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	No Establish	ed Limit		
0008008-57-9	Orange oil	OSHA	Regulated C	arcinogen: No;		
		NTP	Known: No;	Suspected: No;		
		IARC	Group 1: No:	Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Establish	ed Limit		
0008012-89-3	Beeswax	OSHA	Regulated C	arcinogen: No;		
		NTP	Known: No;	Suspected: No;		
		IARC	Group 1: No:	Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Established Limit			
0008015-86-9	Carnauba wax	OSHA	Regulated Carcinogen: No;			
		NTP	Known: No; Suspected: No;			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;			
		ACGIH	H No Established Limit			
0064742-47-8	Distillates (petroleum),	OSHA	Regulated Carcinogen: No;			
	hydrotreated light	NTP	Known: No; Suspected: No;			
		IARC	Group 1: No:	Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Establish	ed Limit		
0068153-22-0	Paraffin waxes and Hydrocarbon	OSHA	Regulated Carcinogen: No;			
	waxes, oxidized	NTP	Known: No;	Suspected: No;		
		IARC		Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
		ACGIH	No Establish	ed Limit		
Classification		Ca	tegory	Hazard Description		
Acute toxicity (oral)				Not Applicable		
Acute toxicity (dermal)				Not Applicable		
Acute toxicity	/ (inhalation)			Not Applicable		
Skin corrosion/irritation			3	Causes mild skin irritation. (Note: this GHS classification was not adopted by US OSHA).		

Not Applicable
Not Applicable
May cause an allergic skin reaction.
Not Applicable
Not Applicable

Revision Date: 09/10/2021

1	May cause an allergic skin reaction.
	Not Applicable

Section 12. Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic Ecotoxicity

Serious eye damage/irritation

Respiratory sensitization

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l	
Distillates (petroleum), hydrotreated light - (64742-47-8)	20.00, Oncorhynchus mykiss	1.40, Daphnia magna	8.30 (72 hr), Pseudokirchneriella subcapitata	
Paraffin Wax - (8002-74-2)	101.00, Pimephales promelas	> 10,000, Daphnia magna	1,001.00 (72 hr), Pseudokirchneriella subcapitata	
Orange oil - (8008-57-9)	Not Available	Not Available	Not Available	
Carnauba wax - (8015-86-9)	Not Available	Not Available	Not Available	
Paraffin waxes and Hydrocarbon waxes, oxidized - (68153-22-0)	Not Available	Not Available	Not Available	
Beeswax - (8012-89-3)	Not Available	Not Available	Not Available	
Citral - (5392-40-5)	6.78, Leuciscus idus	6.80, Daphnia magna	103.80 (72 hr), Algae	

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

Ecotoxicity:

The toxicity of this material to aquatic organisms has not been evaluated. Consequently, this material should be kept out of sewage and drainage systems and all bodies of water.

Revision Date: 09/10/2021

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

DOT (Domestic Surface IMO / IMDG (Ocean ICAO/IATA Transportation)

Not Regulated Not Regulated Not Regulated Not Regulated

14.1. UN numberNot RegulatedNot RegulatedNot Regulated14.2. UN proper shippingNot RegulatedNot RegulatedNot Regulated

name

14.3. Transport hazard DOT Hazard Class: Not IMDG: Not Applicable Air Class: Not Applicable

class(es) Applicable Sub Class: Not Applicable Sub Class: Not

Sub Class: Not Applicable Sub Class. Not Applicable Sub Class. Not Applicable Applicable

14.4. Packing group Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

IMDG Marine Pollutant: Yes; (Orange oil)

14.6. Special precautions for user

Not Applicable

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Revision Date: 09/10/2021

Section 16. Other information

Revision Date 09/10/2021

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

End of Document